

## Camec Portable Fridges

- Sturdy construction
- Turbo function for start up
- 12v/24v, 240v operation
- Use as fridge or freezer
- 2 year warranty on compressor
- Includes basket and LED internal light



### CRVF35 (33 Litre)

Size L650 x W340 x H500mm (includes handles)  
Weight of 21kg  
CRVF 35 Average consumption 0.86 amp at 12V

### CRVF60 (60 Litre)

Size L890 x W455 x H470mm (includes handles)  
Weight of 28kg  
CRVF 60 Average consumption 0.90 amp at 12V



### CRVF35

- Fits Camec CRVF35 fridge
- Clear panel for controls
- Protects and insulates fridge
- Heavy duty zip

### CRVF60

- Fits Camec CRVF60 fridge
- Clear panel for controls
- Protects and insulates fridge
- Heavy duty zip


Part No.	Description
041870	Camec Portable Fridge CRVF35 (33 Litre)
041871	Camec Portable Fridge CRVF60 (60 Litre)
041872	Camec Transit Bag for CRVF35
041873	Camec Transit Bag for CRVF60



# Vitrifrigo

## REFRIGERATION

WHY BUY NEW ZEALANDS LARGEST SELLING DC FRIDGE?



1. New evaporator plate installed to make the freezer compartment decidedly roomier
2. The door panel can be easily replaced with a custom version to match your interior
3. All single door refrigerators are supplied with new closing system. Using this the door can be slightly left open to allow a small amount of air to enter, either when the refrigerator is not in use or being defrosted.
4. All models are now standard supplied with a *Fixing Frame for easier installation.*



5. The refrigerator doors are equipped with adjustable shelves for optimum use of space  
Additional shelves are sold separately
6. The inside light of the refrigerator is supplied as standard on most models. Great for use at night.  
Excludes C42, & C50
7. Nautical Sliding Catch available upon request
8. Most models are available in Stainless Steel

***“Low Power Consumption”***

**Ocean Refrigeration**



**FREEZERS**



- 000552 C35BT FREEZER**  
External Compressor, 33L
- 000559 C55BT FREEZER**  
External Compressor, 56L
- 000538 C110BT FREEZER**  
External Compressor, 108L

**\*INDENT\***



- 000555 C42LPFX OCEAN FRONT LOADER**  
External Compressor, 40L



- 000568 C75LPFX OCEAN FRONT LOADER**  
External Compressor, 75L

MODEL	000552	000559	000538	000555	000568
Dimensions W x D x H mm	390 x 345 x 538	470 x 405 x 613	525 x 510 x 764	380 x 328 x 523	470 x 405 x 613
Capacity - Litres	-	-	-	40	75
Capacity - Freezer Litres	33	56	108	3.6	10.2
Power Voltage	12/24	12/24	12/24	12/24	12/24
Nominal Input	38.5 W	38.5 W	46.45	30.5 W	38.5 W
Average Consumption*	27 W/H	31 W/H	93.33 W/H	10.5 W/H	14 W/H
Cooling Unit	External	External	External	External	External
Net Weight (KG)	22.9	29.8	36	15.8	21

\* Average Power Consumption, tested at 30°C Ambient Temperature

## Ocean Refrigeration



**000540 C130LPFX OCEAN FRONT LOADER**  
External Compressor, 133L



**000536 BRK35 FRONT LOAD FRIDGE**  
With Sliding Tray for Food  
**INDENT**



**000558 C50I OCEAN FRONT LOADER**  
Internal Compressor, 50L  
**\*INDENT\***



**000560 C60IPF OCEAN FRONT LOADER**  
Internal Compressor, 60L

MODEL	000540	000536	000558	000560
Dimensions W x D x H mm	525 x 510 x 758	440 x 710 x 250	395 x 345 x 628	470 x 405 x 613
Capacity - Litres	133	35	50	60
Capacity - Freezer Litres	17.1	-	3.6	10.2
Power Voltage	12/24	12/24	12/24	12/24
Nominal Input	38.5 W	30.5 W	38.5 W	38.5 W
Average Consumption*	19.5 W/H	12 W/H	13 W/H	13.5 W/H
Cooling Unit	External	External	Internal	Internal
Net Weight (KG)	27.4	15.7	15.7	15.8

\* Average Power Consumption, tested at 30°C Ambient Temperature



**Ocean Refrigeration**



Specially Designed Angled Back

**000561 C62 IPF OCEAN FRONT LOADER**  
Internal Compressor, 62L



Vegetable tray not included

**000570 C85IPF OCEAN FRONT LOADER**  
Internal Compressor, 90L



Vegetable tray not included

**000539 C115I OCEAN FRONT LOADER**  
Internal Compressor, 118L



Compressor Mounted Behind Freezer  
Box At Top Of Refrigerator

**000572 C90IPF OCEAN FRONT LOADER**  
Internal Compressor 87L

MODEL	000561	000570	000572	000539
Dimensions W x D x H mm	450 x 510 x 523	485 x 415 x 783	470 x 500 x 613	525 x 510 x 758
Capacity - Litres	62	90	87	118
Capacity - Freezer Litres	4.5	12.8	9.8	17.1
Power Voltage	12/24	12/24	12/24	12/24
Nominal Input	38.5 W	38.5 W	36.5 W	38.5 W
Average Consumption*	13.5 W/H	15 W/H	15W/H	19 W/H
Cooling Unit	Internal	Internal	Internal	Internal
Net Weight (KG)	19.6	16.1	25.5	21.2

\* Average Power Consumption, tested at 30°C Ambient Temperature

## Vitrifrigo Refrigeration



MODEL	000577 DP150I
Dimensions W x D x H mm	525 x 510 x 1088
Capacity Litres	150
Capacity Freezer	30
Power Voltage	12/24
Nominal Input	54.5 W
Average Consumption*	42 W/H
Cooling Unit	Internal
Net Weight (KG)	38.8

\* Average Power Consumption, tested at 30°C Ambient Temperature



MODEL	000578 DP2600
Dimensions W x D x H mm	590 x 597 x 1331
Capacity Litres	230
Capacity Freezer	60
Power Voltage	12/24
Nominal Input	54.5 W
Average Consumption*	28 W/H
Cooling Unit	Internal
Net Weight (KG)	64.5

\* Average Power Consumption, tested at 30°C Ambient Temperature



Vertical Nautical Catches  
Standard on DP2600